

ALCOHOL CONSUMPTION ON DOMESTIC VIOLENCE

KALAYA NGAMAKEUR

**A THESIS SUBMITTED IN PARTIAL FULFILLMENT
OF THE REQUIREMENTS FOR
THE DEGREE OF MASTER OF ARTS (ADDICTIONOLOGY)
FACULTY OF GRADUATE STUDIES
MAHIDOL UNIVERSITY
2007**

COPYRIGHT OF MAHIDOL UNIVERSITY

การบริโภคเครื่องดื่มแอลกอฮอล์ที่มีต่อปัญหาความรุนแรงในครอบครัว (ALCOHOL CONSUMPTION ON DOMESTIC VIOLENCE)

กัลยา งามเอกเอื้อ 4836739 GRAD/M

ศศ.ม. (วิทยาการเสพติด)

คณะกรรมการควบคุมวิทยานิพนธ์ : เชษฐ รัชดาพรธนาธิกุล, Ed.D., ชงชวีช อนุเคราะห์านนท์, Dr, Ph.D.,
วรรณรา ชื่นวัฒนา , Ed.D.

บทคัดย่อ

การวิจัยนี้เป็นการวิจัยเชิงคุณภาพ มีวัตถุประสงค์เพื่อศึกษาแบบแผนการบริโภคเครื่องดื่มแอลกอฮอล์ที่มีต่อปัญหาความรุนแรงในครอบครัว รวมถึงศึกษาลักษณะและระดับของความรุนแรงในครอบครัวที่เกิดจากการบริโภคเครื่องดื่มแอลกอฮอล์ รวบรวมข้อมูลด้วยวิธีการสัมภาษณ์เชิงลึกแบบมีโครงสร้าง การบันทึกเทป และการสังเกตแบบไม่มีส่วนร่วม กลุ่มตัวอย่างจำนวน 17 ราย เป็นผู้กระทำความรุนแรง 8 ราย ผู้ถูกกระทำรุนแรง 9 ราย จากสถาบันจิตเวชศาสตร์และมูลนิธิเพื่อนหญิงตามลำดับ วิเคราะห์ข้อมูลโดยวิธีการพรรณนาและวิเคราะห์เนื้อหา

ผลการศึกษาพบว่า แบบแผนการบริโภคเครื่องดื่มแอลกอฮอล์ ที่มีต่อความรุนแรงในครอบครัวได้แก่ อายุที่เริ่มดื่มแอลกอฮอล์ พบว่า อยู่ในช่วงอายุ 15 - 22 ปี ระยะเวลาที่ดื่มมากกว่า 10 ปี ชนิดของเครื่องดื่มแอลกอฮอล์ที่ดื่มประจำได้แก่ เหล้าขาว เหล้าสี เบียร์ ความถี่ในการดื่มแอลกอฮอล์พบว่ามีผู้กระทำความรุนแรงดื่มทุกวันหรือเกือบทุกวัน ปริมาณในการดื่มแต่ละครั้ง กลุ่มที่ดื่มเหล้าขาวจะดื่มในปริมาณตั้งแต่ครึ่งขวดถึงสองขวด กลม กลุ่มที่ดื่มเหล้าสีจะดื่มในปริมาณครึ่งขวดถึงหนึ่งขวดครึ่ง และกลุ่มที่ดื่มเบียร์จะดื่มในปริมาณ หนึ่งขวดถึงสองขวดครึ่ง สถานที่ที่ดื่มพบว่า ผู้ที่ดื่มที่บ้านคนเดียวตอนเย็นมีค่าใช้จ่ายครั้งละประมาณ 60 บาท ผู้ที่ดื่มคนเดียวที่บ้านและดื่มทั้งวันมีค่าใช้จ่ายประมาณ 80-200 บาท และผู้ที่ดื่มกับเพื่อนตอนเย็นหลังเลิกงาน มีค่าใช้จ่ายประมาณ 200 บาทขึ้นไป ลักษณะและระดับความรุนแรงในครอบครัวพบว่า ผู้ชายใช้ความรุนแรงด้านจิตใจระดับปานกลางมากที่สุดได้แก่ การใช้เสียงข่มขู่ พุดเถียงเสียงดัง ตะคอกตะวาด ในส่วนของผู้หญิงซึ่งเป็นผู้ถูกกระทำได้รับความรุนแรงด้านจิตใจระดับปานกลางมากที่สุดได้แก่ การใช้เสียงข่มขู่ พุดเถียงเสียงดัง ตะคอกตะวาด ความรุนแรงด้านร่างกายพบว่าผู้ชายใช้ความรุนแรงด้านร่างกายระดับสูงมากที่สุด และลักษณะความรุนแรงที่ใช้ได้แก่ การเตะ การชก ผู้หญิงได้รับความรุนแรงด้านร่างกายระดับปานกลางและระดับต่ำมากที่สุด ลักษณะความรุนแรงที่ผู้หญิงถูกกระทำได้แก่ การตบ ตี ถีบ และขว้างปาสิ่งของใส่

ข้อเสนอแนะ การให้ความรู้ถึงพิษของแอลกอฮอล์ที่มีผลต่อสมอง พฤติกรรมการดื่มแอลกอฮอล์แบบอันตราย การดื่มแอลกอฮอล์ในปริมาณที่เหมาะสมและไม่เป็นอันตรายต่อตนเอง ครอบครัว สังคม ควบคู่กับการรณรงค์ ลด ละ เลิกดื่มแอลกอฮอล์ และการจัดตั้งหน่วยงานเพื่อให้ความช่วยเหลือผู้หญิงที่ประสบปัญหาความรุนแรงในครอบครัวทุกจังหวัดจึงจะสามารถป้องกันปัญหาความรุนแรงในครอบครัวได้อย่างมีประสิทธิภาพ

ALCOHOL CONSUMPTION ON DOMESTIC VIOLENCE

KALAYA NGAMAKEUR 4836739 GRAD/M

M.A. (ADDICTIONOLOGY)

THESIS ADVISORS: CHET RATCHADAPUNNATHIKUL, Ed.D., TONGTAVUCH ANUKARAHANONTA, M.D., Ph.D., WANNARA CHUENWATTANA Ed.D.

ABSTRACT

The objectives of this qualitative research were to study the pattern of alcohol consumption affecting domestic violence and to study the characteristics and extent of domestic violence. The research collected data using in-depth structure interview questionnaires, voice record, and non-participating observation. The sample group contained 17 people, of which 8 were perpetrators and 9 were victims of domestic violence. Data analysis was done utilizing the descriptive method.

The research has identified a pattern of alcohol consumption that affects domestic violence. It shows that the perpetrators started drinking alcohol between 15 to 22 years of age and had drunk alcohol for more than 10 years. The common types of alcohol were Thai traditional vodka (Lao Khao), Brown spirit (Lao See) and beer. In terms of frequency of alcohol consumption, the perpetrators drank everyday or almost everyday. In respect of the quantity of alcohol consumption each time, the Thai traditional vodka (Lao Khao)'s group drank half to two bottles, the Brown spirit (Lao See)'s group drank half to one and half bottles, and the beer's group drank one to two and half bottles. For the location of alcohol consumption, it is found that those who drank at home alone in the evening spent around 60 baht each time. Those who drank at home alone all day spent around 80-200 baht, and those who drank with friends after work spent 200 baht or more each time.

In relation to the characteristics and extent of domestic violence, male perpetrators committed medium level of psychological violence most often, which included yelling and raising the voice. For the female victims, they experienced medium level of psychological violence the most, which included yelling, and raising voices. In terms of physical violence, it is found that the male perpetrators committed strong level of physical violence the most, including kicking, and punching. The female victims experienced medium and low levels of physical violence the most, which included slapping, hitting, pushing with feet, and throwing things at.

It is suggested that the most effective methods of prevention of domestic violence are health education to raise the awareness of alcohol intoxication to the brain, and the hazards of heavy alcohol drinking as opposed to moderate drinking, combined with anti-drinking campaigns. It is also important to establish Help Center in every province for women who have suffered domestic violence.

KEY WORDS: DOMESTIC VIOLENCE/ ALCOHOL CONSUMPTION

134 pp.