



26 ก.พ. 2533

การสร้างมาตรฐานการพยาบาลผู้ป่วยไตวายเฉียบพลัน
Establishment of Standard of Nursing Care
for Patient with Acute Renal Failure.

วราพร ตันตะสุวรรณะ

อภินันนาการ

๑๓๓

โรงพยาบาลศิริราช ม.มหิดล

วิทยานิพนธ์นี้เป็นส่วนหนึ่งของการศึกษาตามหลักสูตรปริญญาวิทยาศาสตรมหาบัณฑิต

สาขาพยาบาลศาสตร์

บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล

พ.ศ. 2532

ISBN 974-586-507-2

สงวนลิขสิทธิ์

ข้อเสนอแนะในการนำผลการวิจัยไปใช้

ก่อนนำมาตรฐานนี้ไปใช้เป็นแนวทางการพยาบาลควรมีการพัฒนา หรือปรับปรุง โครงสร้างของหน่วยงานนั้น ๆ ให้มีความสอดคล้องและความเป็นไปได้ในการใช้มาตรฐาน

ข้อเสนอแนะในการทําวิจัยครั้งต่อไป

ควรมีการนำมาตรฐานนี้ไปใช้เป็นเกณฑ์การประเมินเพื่อควบคุมคุณภาพการพยาบาล ผู้ป่วยไตวายเรื้อรัง และใช้เป็นแนวทางการศึกษาวิจัยเพื่อสร้างมาตรฐานการพยาบาล ผู้ป่วยอื่น ๆ เพิ่มเติม

Thesis Title : Establishment of Standard of Nursing Care
for Patient with Acute Renal Failure.

Name : Miss Waraporn Tantasuwana

Degree : Master of Science (Nursing)

Thesis Supervisory Committee

Farida Ibrahim, B.A., M.S.

Kaimook Wichiencharoen, B.Sc., M.A.

Prakong Intarasombat, B.A., M.A.

Suchai Soontrapa, M.D.

Date of Graduation 8 May B.E. 2532 (1989)

ABSTRACT

This study was to establish a Standard of nursing care for patient with Acute renal failure. The Standards were formulated on the basis of nursing knowledge and research document. The Delphi technique was used to validate the accuracy of the standard content by 28 specialists. The researcher formulated the questionnaire concerning the nursing care standard to survey the practical use in real situation. The 102 expert nurses in Acute renal failure patients were requested to answer the questionnaire.

As the result, there were 9 standards composed of 181 process criterias and 75 outcome criterias. The results of the survey show that most of the process criterias were practical in various hospitals. Only few were impractical because of the difference in structure, such as inadequate equipments, instruments and personnel. For the outcome criteria, it was found that only few failed to achieve due to the difference in individual psycho-

social needs, health belief, health habits, health status, health condition as well as the severity of disease and the treatments.

Recommendation for implication into practice :-

The organizational structure should be improved or developed before using this nursing standard for quality of care in nursing situation.

Recommendation for further study :-

This nursing standards should be used in nursing situation as the criteria for evaluation or assurance. It should be encouraged for the design of establishing standard of nursing care for patients in various conditions.