



6 S.ค. 2534

ความสามารถในการดูแลตนเองและภาวะสุขภาพของผู้สูงอายุ
Self-Care Agency and Health Status in Elderly Person

อภิสิทธิ์ นันทนาการ

จาก

มหาวิทยาลัยราชภัฏวชิรเวศน์ ม.ราชภัฏวชิรเวศน์

นิรนาท วิทโย ไชคกิติคุณ

วิทยานิพนธ์นี้เป็นส่วนหนึ่งของการศึกษาตามหลักสูตรปริญญาวิทยาศาสตรมหาบัณฑิต

สาขาพยาบาลศาสตร์

บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล

พ.ศ. 2534

ISBN 974-587-019-6

สงวนลิขสิทธิ์

Copyright by Mahidol University

21276

และความสามารถในการดูแลตนเองมีความสัมพันธ์กับภาวะสุขภาพ
พร้อมกันนี้ผู้วิจัยได้เสนอ
ข้อจำกัดในการศึกษา การนำไปใช้ในการปฏิบัติการพยาบาล และในการวิจัยต่อไป



Thesis Title Self-Care Agency and Health Status in
 Elderly Person

Name Niranart Vithayachockitikhun

Degree Master of Science (Nursing)

Thesis Supervisory Committee

 Malee Lerdmaleewong, B.Sc., M.N.
 Prakong Intarasombat, B.Ed., M.Ed.

Date of Graduation 19 March B.E. 2534 (1991)

Abstract

The purpose of this research was to 1) examine the relationships between Self-care agency and health status as well as basic conditioning factors and , 2) to determine whether health status can be predicted jointly by self-care agency and basic conditioning factors in elderly person. The purposive sample consisted of 120 elderly persons who lived in Amphur Muang Nakornsawan province, and attended elderly clinic. Self-care agency was measured by the Appraisal of Self-Care Agency Scale developed by Evers, et al. (1985). Health status was measured by Denyes Health Status Instrument developed by (Denyes 1980).

Results of the study indicated that self-care agency was positively correlated with marital status ($r = .23, p < .01$) and health status ($r = .52, p < .001$) When sex, marital status, year of education, income and self-care agency were entered into the regression model to predict health status, all variables accounted for 30.1 % of variance in health status which was statistical

significance. However, only self-care agency was the significant predictor.

The findings seemed to support the validity of Orem's conceptualization of basic conditioning factors related to self-care agency and the relationship between self-care agency and health status. Limitation of the study, application of the findings in practice, education, and further research are recommended.

