



13 G.A. 2534

อัตมโนทัศน์ และความสามารถ ในการดูแลตนเองในเด็กธาลัสซีเมีย

Self-Concept and Self-Care Agency in Thalassemic Children

อภินันท์นาการ

จาก

ปิ่นชวีพร กงคัย ม.ว.นิตย

กัณฐิมา เอกโพธิ์

๖

วิทยานิพนธ์นี้เป็นส่วนหนึ่งของการศึกษาตามหลักสูตรปริญญาวิทยาศาสตรมหาบัณฑิต

สาขาพยาบาลศาสตร์

บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล

พ.ศ. 2534

ISBN 974-587-182-6

สงวนลิขสิทธิ์

ผลการศึกษาสนับสนุนความตรงของทฤษฎีการพยาบาลของโอ เริ่มในบางส่วนที่อธิบายถึง
ความสัมพันธ์ระหว่างปัจจัยพื้นฐาน กับความสามารถในการดูแลตนเอง พร้อมทั้งได้วิจัยได้เสนอ
ข้อจำกัดในการศึกษา การนำไปใช้ตามปฏิบัติการพยาบาล ทางด้านการศึกษาและการวิจัยใน
ครั้งต่อไป



A

Thesis Title Self-Concept and Self-Care Agency in Thalassemic
 Children

Name Kantima Ekpho

Degree Master of Science (Nursing)

Thesis Supervisory Committee

Wilai Leesuwat, B.Sc., M.Ed.
Phongjan Hathirat, M.D., Dip. Amer. Board of Ped.
Cert. in Hematology

Date of Graduation 6 May B.E. 2534 (1991)

ABSTRACT

The purpose of this study was to examine, within Orem's nursing theory, the relationships among selected basic conditioning factors of sex, age, level of patient's education, grade point average, family income, self-concept and self-care agency in Thalassemic children. The purposive sample consisted of 100 Thalassemic patients receiving medical therapy at Hematology Clinics, outpatient department of Ramathibodi and Children Hospital. Self-care agency was measured by Denyes Self-Care Agency Instrument developed by Denyes (1980) and self-concept was measured by The Piers-Harris Children's Self-Concept Scale developed by Piers and Harris (1964).

Results of the study indicated that self-care agency was positively correlated with age ($r=.35, p<.001$), level of patient's education ($r=.44, p<.001$), family income ($r=.24, p<.01$) and self-concept ($r=.51, p<.001$). Additional self-concept was positively correlated with grade point average ($r=.30, p<.001$) and family income ($r=.21, p<.05$). When selected basic conditioning factors and self-concept were entered into the regression model to predict

self-care agency, all variables accounted for 44% of variance in the self-care agency which was statistical significance. However, there were 4 variables, age, level of patient's education, grade point average and self-concept were significant predictors and self-concept was the best predictor of self-care agency.

The findings seemed to support the validity of Orem's nursing theory of basic conditioning factors related to self-care agency. The limitations of this study, implications for clinical practice, nursing education and suggestions for further study were recommended.

