


27 DEC 2000



**CAREGIVERS' NEEDS FOR CARING CEREBRAL
PALSY CHILDREN AT HOME**

JINTANA HANPRASITKAM



**A THESIS SUBMITTED IN PARTIAL FULFILLMENT
OF THE REQUIREMENTS FOR
THE DEGREE OF MASTER OF NURSING SCIENCE
(MATERNAL AND CHILD NURSING)
FACULTY OF GRADUATE STUDIES
MAHIDOL UNIVERSITY
2000**

ISBN974-665-028-9

COPYRIGHT OF MAHIDOL UNIVERSITY

TH
J61e
2000

Copyright by Mahidol University

46581 C.2

4137028 NSMC/M : MAJOR : MATERNAL AND CHILD NURSING ; M.N.S.
(MATERNAL AND CHILD NURSING)

KEY WORDS : CAREGIVERS/NEEDS/CEREBRAL PALSY CHILDREN/AT HOME
JINTANA HANPRASITKAM: CAREGIVERS' NEEDS FOR CARING
CEREBRAL PALSY CHILDREN AT HOME. THESIS ADVISORS: KAIMOOK
WICHIENTHAROEN, Ed.D., RASHANEE SEEDA, M.Ed., PRANUDDA PRIYATRUK, M.S.,
109 P., ISBN 974-665-028-9

Cerebral palsy is a common childhood disease that causes permanent physical disabilities. It is a group of nonprogressive encephalopathies which show many effects. The effects are seen by ages, and it invariably affects motor function. Many cerebral palsy children are dependent and often perceived as a burden. The patient needs endless caregiving. Caregivers also experience a high level of stress and need professional help in decreasing such a burden. This study aimed to investigate the caregivers' needs for caring for cerebral palsy children at home, and identify factors that predict their needs. This study was a descriptive research. The sample was composed of 140 caregivers of cerebral palsy children, below 6 years of age. Data was obtained from questionnaires: personal data, patient data and caregivers' needs. Data was analyzed using mean, standard deviation, Pearson's product moment correlation coefficient, and multiple regression.

The results of the study showed that the overall mean score and the mean scores of each section of caregivers' needs were in a moderate level. The sections of caregivers' needs included information, psychological, financial, spiritual, household management and physical needs. Caregiver characteristics (age, education level, marital status, number of children, workplace, family income, duration of caring) and patient characteristics (birth order, age, severity of disability) are unable to predict caregivers' needs.

The results from this study provide considerations for nursing practice. Nurses should coordinate with health care providers on how to best advise caregivers of cerebral palsy children. Nurses can support and provide education to the caregivers and family members about meeting the needs of these children, especially the spiritual and psychological needs. Nurses should also encourage the rehabilitation of the children to improve their functioning.

4137028 NSMC/M : สาขาวิชา: การพยาบาลแม่และเด็ก ; พย.ม. (การพยาบาลแม่และเด็ก)

จินตนา หาญประสิทธิ์คำ : ความต้องการของผู้ดูแลในการดูแลเด็กสมองพิการที่บ้าน (CAREGIVERS' NEEDS FOR CARING CEREBRAL PALSY CHILDREN AT HOME) คณะกรรมการควบคุมวิทยานิพนธ์: ไชยมุกข์ วิเชียรเจริญ, กศ.ด., รัชณี สีดา, ค.ม., ปนัดดา ปริญญา, วท.ม., 109 หน้า, 974-665-028-9

โรคสมองพิการเป็นภาวะเจ็บป่วยเรื้อรัง เป็นกลุ่มอาการที่เกิดจากการทำลายของเนื้อสมอง ก่อนอายุ 5 ปี ซึ่งเมื่อเกิดขึ้นกับสมองส่วนใดแล้วก็จะส่งผลต่อร่างกาย ทำให้เกิดความพิการชนิดต่างๆกันออกไปและจะคงอยู่เรื่อยไปตลอดชีวิต ทำให้มีข้อจำกัดในการช่วยเหลือตนเองและตอบสนองความต้องการของตนเองได้ ต้องพึ่งพาผู้ดูแล ในการดูแลเด็กอย่างถูกต้องไม่ให้เกิดภาวะแทรกซ้อนและสามารถแก้ไขความพิการที่เกิดขึ้นให้ลดลง ผู้ดูแลต้องเผชิญกับภาระการดูแลที่ยาวนาน มีผลกระทบต่อแบบแผนการดำเนินชีวิต ก่อให้เกิดความเครียดและความต้องการความช่วยเหลือในการแก้ปัญหาการดูแลผู้ป่วย การวิจัยครั้งนี้มีจุดมุ่งหมายเพื่อศึกษาความต้องการของผู้ดูแลในการดูแลเด็กสมองพิการที่บ้าน และปัจจัยที่สามารถทำนายความต้องการ กลุ่มตัวอย่างเป็นผู้ดูแลที่รับผิดชอบในการดูแลผู้ป่วยเด็กอายุ 0 – 6 ปีจำนวน 140 ราย เก็บรวบรวมข้อมูลโดยใช้แบบสอบถามความต้องการของผู้ดูแล วิเคราะห์ข้อมูลโดยหาค่าร้อยละ ค่าเฉลี่ย ค่าเบี่ยงเบนมาตรฐาน ค่าสัมประสิทธิ์ของเพียร์สัน ค่าสัมประสิทธิ์สหสัมพันธ์พหุ และวิเคราะห์การถดถอยพหุแบบขั้นตอน

ผลการวิจัยพบว่า ความต้องการของผู้ดูแลโดยรวมและรายด้านทั้ง 6 ด้านคือ ด้านข้อมูลในการดูแลผู้ป่วย ด้านการปรับระดับประคองจิตใจ ด้านการเงินและวัสดุสิ่งของ ด้านการเสริมสร้างพลังทางจิตวิญญาณ ด้านการจัดการภายในบ้านและด้านการดูแลสุขภาพร่างกาย มีค่าเฉลี่ยอยู่ในระดับปานกลาง ปัจจัยของผู้ดูแลได้แก่อายุ ระดับการศึกษา สถานภาพสมรส จำนวนบุตร อาชีพ รายได้ของครอบครัว ระยะเวลาในการดูแล และปัจจัยด้านเด็กสมองพิการได้แก่ลำดับการเกิด อายุและความรุนแรงของโรค ไม่สามารถทำนายความต้องการของผู้ดูแลในการดูแลเด็กสมองพิการที่บ้านได้ จากการวิจัยมีข้อเสนอแนะคือ พยาบาลควรให้คำแนะนำแก่ผู้ดูแลและเป็นผู้ประสานงานขอความร่วมมือจากบุคลากรในทีมสุขภาพ ในการให้คำแนะนำแก่ผู้ดูแล ส่งเสริมให้กำลังใจในการดูแลผู้ป่วย นอกจากนี้ควรให้เวลาผู้ดูแลได้ซักถามปัญหาและส่งเสริมการฟื้นฟูสภาพร่างกายผู้ป่วย ให้สามารถช่วยเหลือตัวเองให้ใกล้เคียงกับพัฒนาการของแต่ละวัย