



**ATTACHMENT BEHAVIORS IN MOTHERS OF PREMATURE
INFANTS: A CASE STUDY IN THAI MOTHERS**

SOPIDA PHATTHANASIRIWETHIN

อธิปัทนาศาร
จาก
บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล

**A THESIS SUBMITTED IN PARTIAL FULFILMENT
OF THE REQUIREMENT FOR
THE DEGREE OF MASTER OF NURSING SCIENCE
(MATERNAL AND CHILD NURSING)
FACULTY OF GRADUATE STUDIES
MAHIDOL UNIVERSITY**

2001

ISBN 974-665-615-5

COPYRIGHT OF MAHIDOL UNIVERSITY

TH
S712a
2001

4137048 NSMC/M : MATERNAL AND CHILD NURSING; M.N.S.
(MATERNAL AND CHILD NURSING)

KEY WORDS : ATTACHMENT BEHAVIORS / THAI MOTHERS OF
PREMATURE INFANTS

SOPIDA PHATTHANASIRIWETHIN : ATTACHMENT BEHAVIORS IN
MOTHERS OF PREMATURE INFANTS: A CASE STUDY IN THAI MOTHERS.
THESIS ADVISORS : FONGCUM TILOKSKULCHAI, Ph.D., KANNIKAR
VICHITSUKON, M.Sc., YAOWALAK SERISATHIEN, D.N.S., 85 p., ISBN
974-665-615-5

Attachment is defined as the formation of a relationship between a mother and her infant. Prematurity and the associated maternal-infant separation after birth can affect the attachment process. The mothers' first visit to their premature infants in the neonatal care unit is a very critical period. The role of nurses in facilitating the process of attachment should be based on an understanding of the attachment behaviors. Therefore, this research aims to explore the attachment behaviors that mothers demonstrated during their first visit with their infants. The sample was thirty mothers of premature infants who were hospitalized at Siriraj Hospital. The instruments for data collection consisted of the protocols for demographic characteristic of mothers and infants, the maternal behavior observation guideline, and the interview guide for maternal behaviors. The data was analyzed by the methods of frequency distribution and percentage. Content analysis was used to analyze the interview data.

The results from this study showed that all mothers (100%) demonstrated almost all attachment behaviors except holding during their first visit with the infants. Those attachment behaviors were inspection, facial expression, touching, verbal expression, and eye-to-eye contact. However, some mothers declined to interact with their infants. They also did not spend much time when visiting their infants. Therefore, the results from this study suggest that nurses should encourage mothers' confidence in interacting with their infants while visiting their infants in the neonatal care unit.

4137048 NSMC/M : สาขาวิชา : การพยาบาลแม่และเด็ก ; พย.ม. (การพยาบาลแม่และเด็ก)

โสภิตา พัฒนศิริเวทิน : พฤติกรรมสัมพันธภาพของมารดาทารกเกิดก่อนกำหนด : กรณีศึกษาในมารดาไทย (ATTACHMENT BEHAVIORS IN MOTHERS OF PREMATURE INFANTS: A CASE STUDY IN THAI MOTHERS) คณะกรรมการควบคุมวิทยานิพนธ์ : ฟองคำ ดิลกสกุลชัย, Ph.D., กรรณิการ์ วิจิตรสุคนธ์, วท.ม.(สาธารณสุขศาสตร์), เขียวลักษณ์ เสรีเกียรติ, พย.ค., 85 หน้า ISBN 974-665-615-5

สัมพันธภาพเป็นรูปแบบของความสัมพันธ์ที่เกิดขึ้นระหว่างมารดาและทารก การที่ทารกเกิดก่อนกำหนดและภายหลังคลอดต้องถูกแยกจากมารดาเพื่อเข้ารับการรักษาในหอผู้ป่วยย่อมมีผลกระทบต่อกระบวนการพัฒนาสัมพันธภาพของมารดาและทารก การเข้าเยี่ยมทารกในหอผู้ป่วยทารกแรกเกิดในครั้งแรกของมารดาจึงถือเป็นช่วงเวลาที่สำคัญต่อกระบวนการพัฒนาสัมพันธภาพในระยะหลังคลอด บทบาทที่สำคัญของพยาบาลคือ ทำหน้าที่ส่งเสริมสัมพันธภาพระหว่างมารดาและทารก ดังนั้น พยาบาลจึงจำเป็นต้องมีความเข้าใจในพฤติกรรมสัมพันธภาพที่มารดาแสดงต่อทารก การวิจัยครั้งนี้มีวัตถุประสงค์เพื่อศึกษาพฤติกรรมสัมพันธภาพที่มารดาแสดงในขณะที่เข้าเยี่ยมทารกเกิดก่อนกำหนดครั้งแรก โดยมีกลุ่มตัวอย่างคือ มารดาของทารกเกิดก่อนกำหนดที่ทารกเข้ารับการรักษาในโรงพยาบาลศิริราช จำนวน 30 คน เก็บรวบรวมข้อมูลโดยใช้แบบบันทึกข้อมูลทั่วไปของมารดาและทารก แบบสังเกตพฤติกรรมสัมพันธภาพของมารดา และแนวคำถามในการสัมภาษณ์พฤติกรรมสัมพันธภาพของมารดา วิเคราะห์ข้อมูลโดยแจกแจงความถี่ และหาค่าร้อยละ นำข้อมูลจากการสัมภาษณ์มาวิเคราะห์เนื้อหา

ผลการวิจัยพบว่า ในขณะที่มารดาเข้าเยี่ยมทารกในหอผู้ป่วยครั้งแรก มารดาทุกคน (100%) แสดงพฤติกรรมสัมพันธภาพ ซึ่งได้แก่ การสำรวจ การแสดงสีหน้า การสัมผัส การพูด การมองสบตาทารก และไม่มีพฤติกรรมกั้มทารกเกิดขึ้นในการศึกษาครั้งนี้ อย่างไรก็ตาม เนื่องจากมารดาบางส่วนมีปฏิสัมพันธ์กับทารกเพียงเล็กน้อย และใช้เวลาในการเข้าเยี่ยมทารกไม่นาน ดังนั้น จากการวิจัยมีข้อเสนอแนะคือ พยาบาลควรเสริมสร้างความเชื่อมั่นของมารดาในการมีปฏิสัมพันธ์กับทารกในขณะที่มารดาเข้าเยี่ยมทารกในหอผู้ป่วยทารกแรกเกิด