



**DEVELOPMENTAL MATERNITY TASKS AMONG
PRIMIGRAVIDA IN SURATHANI PROVINCE**

KHARANEE SUTTHINOON

**With compliments
of**
บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล

**A THESIS SUBMITTED IN PARTIAL FULFILLMENT
OF THE REQUIREMENTS FOR
THE DEGREE OF MASTER OF SCIENCE (PUBLIC HEALTH)
FACULTY OF GRADUATE STUDIES
MAHIDOL UNIVERSITY**

2002

ISBN 974-04-1257-2

COPYRIGHT OF MAHIDOL UNIVERSITY

Copyright by Mahidol University

TH
K45d
2002
Crd

4236230 PHPH/M : MAJOR : FAMILY HEALTH : M.Sc. (PUBLIC HEALTH)
KEY WORDS : DEVELOPMENTAL TASKS / MATERNITY /
PRIMIGRAVIDA

KHARANEE SUTTHINOON : DEVELOPMENTAL MATERNITY
TASKS AMONG PRIMIGRAVIDA IN SURATTHANI PROVINCE. THESIS
ADVISORS : SUTHAM NANTHAMONGKOLCHAI, PH.D (DEMOGRAPHY),
SIRIKUL ISARANURUG, M.D., M.P.H.(MCH), DIP. THAI BOARD OF
PEDIATRICS, SURINTORN KALAMPAKORN, PH.D. (NURSING), 126 P.
ISBN 974-04-1257-2

The purpose of this research survey is to investigate developmental maternity tasks and factors associated with developmental maternity tasks among primigravida. The subjects were 408 primigravida women with gestational age of greater than 28 weeks who were living with their husbands and receiving antenatal care at public hospitals in Surathani province. Data were collected by interview between June to August 2001. Pearson's Product Moment Correlation Coefficient and Stepwise multiple regression were used for data analysis.

Results revealed that most of the subjects (80.9%) had a high score on the overall developmental maternity tasks. The factors that were significantly associated with the developmental maternity tasks at <0.05 were age, educational level, family income, child rearing experience, plan of pregnancy, social support, marital relationship and attitudes toward pregnancy. The factors which altogether could explain 57.3 percents of variation in developmental maternity tasks were marital relationship, attitudes toward pregnancy, social support, age and child rearing experience.

The findings suggest that nurses as well as other health professionals should be concerned with marital relationship and attitudes toward pregnancy of the pregnant women. Social support and preparation for the future should also be emphasized during pregnancy. The young pregnant should be particularly provided with proper care so that they can appropriately perform developmental maternity tasks.

4236230 PPH / M : วิชาเอก : อนามัยครอบครัว; วท.ม. (สาขารณสุขศาสตร์)

ขรณี สุทธิรัตน์ : พัฒนากิจการเป็นมารดาของหญิงตั้งครรภ์ ครรภ์แรกจังหวัดสุราษฎร์ธานี (DEVELOPMENTAL MATERNITY TASKS AMONG PRIMIGRAVIDA IN SURATHANI PROVINCE) คณะกรรมการควบคุมวิทยานิพนธ์ : สุธรรม นันทมงคลชัย Ph.D. (Demography), ศิริกุล อิศรานุรักษ์ พ.บ., M.P.H. (Maternal and Child Health and Family Planning), อว.(กุมารเวชศาสตร์), สุรินทร กลัมพากร Ph.D. (Nursing) 126 หน้า. ISBN 974-04-1257-2

การศึกษานี้เป็นการวิจัยเชิงสำรวจ เพื่อศึกษาพัฒนากิจการเป็นมารดาของหญิงตั้งครรภ์ ครรภ์แรก และปัจจัยที่เกี่ยวข้อง กลุ่มตัวอย่างเป็นหญิงตั้งครรภ์ปกติ ครรภ์แรก อายุครรภ์ 28 สัปดาห์ขึ้นไป อยู่กินกับสามี จำนวน 408 คน ที่มาฝากครรภ์ในโรงพยาบาลสุราษฎร์ธานี โรงพยาบาลพุนพิน โรงพยาบาลเวียงสระ โรงพยาบาลบ้านนาสาร โรงพยาบาลกาญจนดิษฐ์ โรงพยาบาลคอนสัก โรงพยาบาลเคียนซา และโรงพยาบาลพนม เก็บข้อมูลโดยใช้แบบสอบถามระหว่างเดือนมิถุนายน-สิงหาคม 2544 ใช้สถิติสัมประสิทธิ์สหสัมพันธ์ของเพียร์สัน และการวิเคราะห์ถดถอยพหุแบบขั้นตอนในการวิเคราะห์ข้อมูล

ผลการศึกษาพบว่าหญิงตั้งครรภ์ ครรภ์แรก ส่วนใหญ่มีคะแนนพัฒนากิจการเป็นมารดา อยู่ในระดับสูงร้อยละ 80.9 ปัจจัยที่มีความสัมพันธ์กับพัฒนากิจการเป็นมารดาของหญิงตั้งครรภ์ อย่างมีนัยสำคัญทางสถิติที่ $p < 0.05$ ได้แก่ อายุ ระดับการศึกษา รายได้ครอบครัว ประสพการณ์ การเลี้ยงดูเด็กก่อน การวางแผนการตั้งครรภ์ การสนับสนุนทางสังคม สัมพันธภาพระหว่างคู่สมรส และเจตคติต่อการตั้งครรภ์ และเมื่อวิเคราะห์ถึงปัจจัยที่สามารถทำนายพัฒนากิจการเป็นมารดาของหญิงตั้งครรภ์ พบว่า สัมพันธภาพระหว่างคู่สมรส เจตคติต่อการตั้งครรภ์ การสนับสนุนทางสังคม อายุ และประสพการณ์การเลี้ยงดูเด็กก่อน สามารถร่วมทำนายพัฒนากิจการเป็นมารดาของหญิงตั้งครรภ์ได้ร้อยละ 57.3

จากการวิจัยครั้งนี้มีข้อเสนอแนะว่าพยาบาลหรือผู้ที่เกี่ยวข้องในแผนกฝากครรภ์ควรส่งเสริม สนับสนุนให้หญิงตั้งครรภ์มีสัมพันธภาพระหว่างคู่สมรสที่ดี ปลูกฝังเจตคติที่ดีต่อการตั้งครรภ์ และเน้นการให้การสนับสนุนทางสังคมแก่หญิงตั้งครรภ์ นอกจากนี้พยาบาลควรให้ความสนใจดูแลเอาใจใส่เป็นพิเศษแก่หญิงตั้งครรภ์ที่มีอายุน้อย เพื่อให้หญิงตั้งครรภ์มีการปฏิบัติพัฒนากิจการเป็นมารดาได้อย่างเหมาะสม