

6107 34624

การปรับตัวด้านบทบาทหน้าที่ของสตรีที่มีโคลอสโตมิกถาวร

ADAPTATION IN ROLE FUNCTIONS OF WOMEN WITH
PERMANENT COLOSTOMY



วิทยานิพนธ์นี้เป็นส่วนหนึ่งของการศึกษาดตามหลักสูตรปริญญาพยาบาลศาสตรมหาบัณฑิต

สาขาการพยาบาลผู้ใหญ่

บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล

พ.ศ. 2539

ISBN 974-588-671-8

สงวนลิขสิทธิ์

กท

จ 166ก

๒๕๓๙

ชื่อวิทยานิพนธ์ การปรับตัวด้านบทบาทหน้าที่ของสตรีที่มีโคลอสโตมิชนิดถาวร

ผู้วิจัย จรินทร์ สมภู

ปริญญา พทยบาลศาสตรมหาบัณฑิต (การพยาบาลผู้ใหญ่)

คณะกรรมการควบคุมวิทยานิพนธ์

ศูวิมล กิมปี วท.บ. (พยาบาล) ค.บ. (วิชาชีพการศึกษา)

มยุรี แก้วจันทร์ ค.บ. วท.ม. (พยาบาล)

กาญจนา รัตนาวิบูลย์ วท.บ. (พยาบาล) ค.บ. , M.A.

วันที่สำเร็จการศึกษา 25 กุมภาพันธ์ พ.ศ. 2540

บทคัดย่อ

ปัจจุบันสตรีมีภาวะรับศัลยกรรมมากขึ้น ทั้งในหน้าที่การทำงานและครอบครัว ดังนั้นเมื่อเกิดการเจ็บป่วย ซึ่งต้องได้รับการผ่าตัด โคลอสโตมิชนิดถาวรย่อมส่งผลกระทบต่อทางด้านร่างกาย และจิตสังคม ทำให้การดำเนินชีวิตในบทบาทหน้าที่ต่างๆ เปลี่ยนแปลง ดังนั้น สตรีที่มีโคลอสโตมิ จำเป็นต้องใช้ความสามารถในการปรับตัว เพื่อดำรง บทบาทหน้าที่ของตนในสังคม ได้อย่างถูกต้อง และเหมาะสม

การศึกษานี้ ผู้วิจัยใช้ทฤษฎีการปรับตัวของรอยเป็นกรอบแนวคิด โดยศึกษาการปรับตัวด้านบทบาทหน้าที่ในบทบาททฤษฎี สตรีภายหลังการผ่าตัด โคลอสโตมิที่กลับบ้าน แล้วอย่างน้อย 1 เดือน และมารับการตรวจรักษา จากโรงพยาบาล 5 แห่ง ในกรุงเทพมหานคร จำนวน 80 ราย เครื่องมือที่ใช้ในการวิจัยประกอบด้วยแบบสัมภาษณ์ ข้อมูลทั่วไป การปรับตัวด้านบทบาทหน้าที่ การสนับสนุนทางสังคม ภาพลักษณ์ และแบบประเมินภาวะสุขภาพ วิเคราะห์ข้อมูลโดยการวิเคราะห์ถดถอยพหุคูณแบบขั้นตอน ผลการวิจัย สรุปได้ดังนี้ ความสามารถในการปรับตัวด้านบทบาทหน้าที่โดยรวม และบทบาทย่อยของสตรีที่มีโคลอสโตมิชนิดถาวร อยู่ในระดับค่อนข้างดี ผลการวิเคราะห์ถดถอยพหุคูณแบบขั้นตอน พบว่า จำนวนบทบาท การสนับสนุนทางสังคม และภาพลักษณ์ สามารถร่วมกันอธิบายความผันแปร ของการปรับตัวด้านบทบาทหน้าที่ได้ร้อยละ 22.13 อย่างมีนัยสำคัญทางสถิติ ($p < .001$)

ผู้วิจัยมีข้อเสนอแนะคือ พยาบาลต้องคำนึงถึง การส่งเสริมบุคคลในครอบครัว ให้มีส่วนร่วมให้การช่วยเหลือดูแล สนับสนุน ให้สตรีที่มีโคลอสโตมิชนิดถาวรเกิดความรู้สึที่ดีต่อภาพลักษณ์ และให้กำลังใจในการปฏิบัติบทบาทหน้าที่ต่าง ๆ และจัดให้สตรีที่มีโคลอสโตมิได้มีการพบปะและมีส่วนพึ่งพาซึ่งกันและกัน ในสังคม เพื่อเป็นแหล่งสนับสนุนทางสังคมให้สตรีที่มีโคลอสโตมิจัดการปรับตัวด้านบทบาทหน้าที่ได้ และอยู่ในสังคมอย่างมีความสุข

Thesis Title Adaptation in Role Functions of Women with Permanent Colostomy

Name Jarintron Sompoo

Degree Master of Nursing Science (Adult Nursing)

Thesis Supervisory Committee

Suvimol Kimpee , B. Sc. , M. Ed.

Mayuree Kaewchantr , B. Ed. , M. Sc. (nursing).

Kanjana Rattanaivibul B. Sc. (Nursing) , B.Ed. ,
M.A. (Teaching of Nursing)

Date of Graduation 25 February B.E. 2540 (1997)

Abstract

At present, Women have increasing responsibilities in working role and family role. When their had permanent colostomy that effected them to physical, psychological and necessitates adaptations in role functions of daily living. Ability of adaptation were concerned to amount of role, social support, body image, health status and duration after colostomy.

In this study, the researcher applied Roy' adaptation in role function, focusing on secondary role. The sample consisted of 80 women with permanent colostomy after 1 month rather, who came to follow - up visit, and treated at five Bangkok metropolis hospital. The parameters considered included demographic data, role functions adaptation, social support, body image, and health status. Data were collected by structed interviewer and were analyzed by stepwise multiple regression. The results were as follow: The overall adaptation in role function of women with permanent colostomy was at an adequate level, as were specific adaptations in permanent colostomy role, family role and work role. Stepwise multiple regression analysis showed that amount of roles, body image and social support could function as predictors to account for 22.13 percents variance in the degree of adaptation ($p < .001$).

Based on these finding, the researchers have recommended that nurses should be aware of factors that effected to role functions adaption and strongly consider promoting family involvement to assist women with permanent colostomy. Families can help women in their various role function by assuming responsibilities at home, and inspiring positive feeling of body image. Favorable levels of adaptation in role functions can be achieved by these interventions, in order to these women to live happily in society .

